



FLOMAX 10

2" x 2" Self Priming Centrifugal Pump

The FLOMAX® 10 Self-Priming Centrifugal Pump is a high-performance solution built to handle demanding applications across industrial, agricultural, marine, and OEM sectors. Designed to generate a vacuum, it can lift liquids from sources as deep as 25 feet (7.6 m), ensuring dependable and efficient operation even under challenging conditions. After initial priming, its integrated flapper valve retains a full liquid column in the suction line, enabling continuous, uninterrupted performance.

The FLOMAX® 10 PumPAK® comes as a fully assembled, factory-tested pump end that easily connects to multiple drive options, including hydraulic motors, 182TC and 184TC frame motors, and gasoline engines. For added versatility, a bearing pedestal is available for T-frame motor or belt-driven setups, offering flexible configurations to suit specific operational requirements.

The FLOMAX 10 model is certified with ABS Type Approval.

SPECIFICATIONS:

Suction / Discharge	2" x 2" NPT
Materials of Constructions	Bronze, Cast iron
Flow	Up to 225 GPM (51.1 m ³ /h)
Head Feet	Up to 145' (44.2 m)
Impeller	6.0" (152.4 mm) max. diameter, semi-open
Motor	Up to 7.5 HP (5.5 kW)
Seal	Special seal material combinations available (consult factory), Standard carbon / ceramic / Viton
Drive Options	Close coupled 184TC Engine mount 5.5 HP (4.0 kW) Engine mount 6.5 HP (4.8 kW) Engine mount 11 HP (8.0 kW) Engine mount 13 HP (9.6 kW) Pedestal PumPAK® (without motor)
Max Solid Size	.625" (15.9 mm)
Options	Base plate shown above is optional Double seal available for dry run applications Hydraulic motor .73 cu. in. (11.96 cm ³)

Features

- Renewable wear plate
- Stainless steel drive sleeve
- Stainless steel fasteners
- Up to a 25' (7.6 m) suction lift
- ABS Type Approved

Application

- Agricultural
- Industrial
- Marine





12500 South Pulaski Road
Alsip, IL 60803, USA
Phone (800) 563-8006



An Ingersoll Rand Business

FLOMAX 10

PERFORMANCE CURVES




12500 South Pulaski Road
 Alsip, IL 60803, USA
 Phone (800) 563-8006



An Ingersoll Rand Business

FLOMAX 10

DIMENSIONS



* For complete parts lists and troubleshooting guidance, please refer to the MP Pumps Installation Operation & Maintenance (IOM) Manual.



12500 South Pulaski Road
Alsip, IL 60803, USA
Phone (800) 563-8006