



WATER-POWERED CHEMICAL DOSING PUMPS FOR **Industry**

CARWASH

FOOD & BEVERAGE PROCESSING

METALWORKING



DOSATRON®

An Ingersoll Rand Business

Dosatron

Water-Powered Injectors

Dosatron features superior engineering to create the most durable, easy-to-use, low-maintenance product on the market. We manage your chemical application through repeatability, regardless of fluctuations in pressure or flow. Dosatron also supports you every step of the way with world-class customer service.

Trust only genuine Dosatron products.

Dosatron units are ideal in:

Carwash

- Presoaks
- Detergents
- Wax
- Drying agents
- Surface enhancers
- Tire/wheel cleaners



Food

- Foam and Spray cleaners
- Sanitizers
- Conveyor lubricants



Metalworking

- Metalworking fluids
- Parts cleaning detergents
- Vibratory finishing compounds
- Die release agents
- Floor cleaning detergents



1 (800) 451-6628 | dosatron.com

D7 SERIES 3 GPM

Max Flow Rate

In/Out NPT: 3/4"
Max Press: 85 psi
Max Height: 10"
Max Width: 4.5"
Max Weight: 2 lbs



D07RE125

1:667 to 1:80

D07RE5

1:128 to 1:18

D14 SERIES 14 GPM

Max Flow Rate

In/Out NPT: 3/4"
Max Press: 85 psi
Max Height: 19.05"
Max Width: 8"
Max Weight: 6 lbs



D14MZ3000

1:3000 to 1:333

D14MZ1000

1:1000 to 1:100

D14MZ2

1:500 to 1:50

D14MZ5

1:200 to 1:20

D14MZ10

1:100 to 1:10

D14MZ520

1:20 to 1:5

High Temperature D14T SERIES 14 GPM

Max Flow Rate

In/Out NPT: 3/4"
Max Press: 85 psi
Max Height: 19.05"
Max Width: 8"
Max Weight: 8 lbs



D14TMZ3000

1:3000 to 1:333

D14TMZ5

1:100 to 1:20

D14TMZ10

1:100 to 1:10

Dosatron

Water-Powered Injectors

D6 SERIES 26 GPM

Max Flow Rate

In/Out NPT: 1 1/4"
Max Press: 116 psi
Max Height: 24"
Max Width: 8"
Max Weight: 9 lbs



D6MZ3000

1:3000 to 1:333

D6MZ1000

1:1000 to 1:100

D6MZ2

1:500 to 1:50

D40 SERIES 40 GPM

Max Flow Rate

In/Out NPT: 1 1/2"
Max Press: 116 psi
Max Height: 25.25"
Max Width: 8.5"
Max Weight: 12 lbs



D40MZ3000

1:3000 to 1:500

D40MZ1000

1:1000 to 1:100

D40MZ2

1:500 to 1:50

D40MZ5

1:100 to 1:20

D20 SERIES 100 GPM

Max Flow Rate

In/Out NPT: 2"
Max Press: 120 psi
Max Height: 55"
(legs incl.)
Max Width: 15"
Max Weight: 47 lbs



D20S

1:500 to 1:50

D132 SERIES 132 GPM

Max Flow Rate

In/Out NPT: 3"
Max Press: 87 psi
Max Height: 14"
Max Width: 8"
Max Weight: 33 lbs



D132MZ30000

1:30000 to 1:3000

D132MZ5000

1:5000 to 1:500

D132MZ1

1:1000 to 1:100

D400 SERIES 400 GPM

Max Flow Rate

In/Out NPT: 4"
Max Press: 116 psi
Max Height: 57"
Max Width: 31.5"
Max Weight: 95 lbs



D400MZ30000

1:30000 to 1:8000

D400MZ05


1:1000 to 1:200

D400MZ02

1:5000 to 1:500


Blend System Panels

Single-unit, pre-plumbed, pre-tested system for blending chemicals with water. The turnkey 24" x 24" panel contains all protective parts and offers simple installation.




Failsafe System Panels

Dual-unit, pre-plumbed, pre-tested system for blending chemicals with water. The turnkey 24" x 26" panel contains all protective parts, including a built-in backup Dosatron unit, and offers simple installation.




Carwash System Panels

Single-unit, pre-plumbed, pre-tested system for blending carwash chemicals with water. The turnkey 24" x 24" panel contains all protective parts and offers simple installation. Panels are available for both foaming and non-foaming applicators.



Installation Kits

Do-It-Yourself kits contain all of the protection parts and fittings needed for your installation.



Dosa Lock

The Dosa Lock protects unauthorized access to your injector settings and fits most large and small diameter injectors. Dosa Lock is tamper resistant and made of high impact strength polypropylene



1 (800) 451-6628 | dosatron.com

Mobile Solutions

Portable Sanitation Chemical Solutions

With two DosaCart models to choose from, it is simple to have portable, proportional, on-demand dispensing in a wide variety of industrial applications – from coolant to sanitation, and everything in between. The corresponding plumbing Hook-Up Kits provide an easy, stress-free assembly.

DosaCart FLEX ► Part # HS15-5

- Perfect for sanitation chemicals
- Versatile with various chemical container types, shapes and sizes

(Dosatron injector and cart hook-up kit sold separately.)



DosaCart Pro20 ▲ Part # HS20

- Perfect for sanitation chemicals and coolants
- 20 gallon concentrate tank

(Dosatron injector and cart hook-up kit sold separately.)



(727) 443-5404 | 1 (800) 451-6628 | dosatron.com

 youtube.com/@DosatronIntl



DOSATRON[®]

An Ingersoll Rand Business