


RELEASED: 9-8-17
 REVISED: 11-23-18
 (REV: C)

67487-X Stainless Steel Follower Assembly "C" Footprint (Slip Fit Pump Connection)




Item	Description (size)	(Qty)	Part No.	Mtl
1	Check Valve Body (1/8 - 27 NPTF - 1)	(1)	93987	[SS]
2	Machine Screw (#4 - 40 x 1")	(1)	Y8-251-S	[SS]
3	Spring	(1)	93989	[SS]
4	Valve Nut	(1)	93986	[T]
5	Nut (#4 - 40)	(1)	Y22-4-S	[SS]
6	Valve Assembly (includes items 1 - 5)	(1)	67130	
7	Male Elbow (1/8 - 27 NPT x 5/16" OD tube)	(1)	59756-58	
8	Base Plate with 1/4 - 20 Studs	(1)	97740	[SS]

Item	Description (size)	(Qty)	Part No.	Mtl
9	Modular Backup Ring	(1)	97696	[U]
10	Retaining Ring	(1)	97697	[SS]
11	Lock Washer	(12)	Y14-416-T	[SS]
12	Nut (1/4 - 20)	(12)	Y12-4-S	[SS]
13	Vent Plug	(1)	97702	[SS]
14	Adapter	(1)	97736-1	[SS]
15	Primary Wiper Seal	(1)	97734	[TN]
16	Secondary Wiper Seal	(1)	91086	[Pe]
17	Wiper Support Ring	(1)	97741	[Pe]
18	Cap Screw (1/4 - 20 x 3/4")	(3)	Y6-43-T	[SS]
19	O-Ring	(1)	97752	[T]


MATERIAL CODE

[B] = Nitrile [Pe] = Polyethylene [T] = PTFE
 [DI] = Ductile Iron [SS] = Stainless Steel [TN] = PTFE Coated Nitrile
 [U] = Polyurethane [C] = Carbon Steel [D] = Acetal

FIGURE 2



Primary Seal Descriptions (Item15):




MODEL DESCRIPTION / FOLLOWER PLATE OPTIONS

Pump Size	Follower Plate Material	Seal Type	Seal Material	Seal Diameter	Follower Asm.
Slip-On "C"	Stainless Steel	Single Lip	PTFE Coated Nitrile /Polyethylene	11.437" (290.5 mm)	67487-1

MODULAR BACKUP RING

CONFIGURATION
OPTIONS



Ideal for tapered pails
Note: Backup ring must
be removed from follower
plate assembly

Ideal for various
straight sided pails

Ideal for various
straight sided pails

FIGURE 3

