

Gardner Denver®

L07RS-L290RS (7-290 KW)
VARIABLE-SPEED ROTARY SCREW COMPRESSORS

LRS-Series



Advanced Technology Inspired Simplicity

A Better Approach


Gardner Denver has a long history of manufacturing compressed air equipment. With our LRS-Series line of products, we have uniquely combined simplicity with cutting edge design. The result—a compressor that delivers outstanding performance with unprecedented serviceability.

The Total Package

Gardner Denver has the total package—extensive compressor and air treatment product lines, sales and service support through our extensive network of authorized local distributors, and industry leading warranty programs. Because we offer more than just compressed air equipment, we can provide solutions that keep you running, protect your production objectives, and save you money.



Expect More?
Choose Gardner Denver





GARDNER
DENVER—TAKING
QUIET
TO A WHOLE
NEW LEVEL

Without sacrificing serviceability, the LRS-Series compressor packages feature some of the **smallest footprints** in the industry.



Small Footprint = Cost Savings

Compact, Quiet Compressors

Nearly Silent Noise Levels

The Gardner Denver LRS-Series compressor designs feature high-quality, sound-insulating enclosure panels and a low-noise, thermostatically-controlled, motor-driven fan. These components reduce the noise to whisper-quiet levels and eliminate the need for a separate compressor room, saving money on installation costs.




Reduce Energy. Maximize Efficiency. Save Money.

Perfect Response to Your Individual Air Demand


Variable speed compressors from Gardner Denver can efficiently and reliably handle the varying air demand. The right variable speed compressor in the right application delivers significant energy savings and a stable air supply at constant pressure.

Minimize Your Energy Consumption

The largest cost component of a compressor during its lifetime is the power required to operate it. Maximum efficiency at any level of demand cuts energy costs and saves money.



Variable Speed Drive



Energy Savings

High Efficiency
TEFC Motor

Low Life Cycle Costs


Market Leading Energy Savings

Lowest
kW/100
CFM


Minimal
Pressure
Drop

VALUE

Superior
Specific Power



Variable Speed vs. Fixed Speed



Using a variable speed compressor can easily **save 25% energy** by using just the right amount of energy required to do the job and no more.


Get in Touch with the **Next Generation** of Compressor Controllers

State-of-the-Art


Gardner Denver completes its industry leading compressor packages with a state-of-the-art touchscreen controller: the Governor™. Featuring cutting edge graphics that provide necessary compressor data and full color schematics in seconds, the Governor™ is now available on all L-Series and LRS-Series compressors models.

Governor™ Touchscreen Controller Features

- Available on L07RS-L290RS compressor models
- User-friendly navigation with state-of-the-art graphics and design
- Machine status available on a 7-inch, full color touchscreen display for L30RS-L290RS and a 4.3-inch display for L07RS-L29RS
- Detailed schematics at your fingertips
- Advanced machine diagnostics
- Data logging and iConn connection
- Web server to allow access to the Governor™ from your desktop




7-inch Governor



4.3-inch Governor



Keeping the System Healthy



Ensure your
compressed air
system remains a
total package

Total System Protection

Since 1859, Gardner Denver has been supporting the compressed air industry with high quality, long-lasting compressor and air treatment solutions. Carrying on that legacy, our robust line of parts, lubricant and downstream accessories ensure your system stays healthy.

The focus on total system protection by Gardner Denver not only includes OEM parts and fluid solutions, but a commitment to the longevity of your equipment through our industry leading warranty programs.

Protect your investment.



Sales & Service **Distributors** Across America

Always Within Reach

Our extensive network of factory-trained, authorized distributors ensures your sales, service, and technical support needs are addressed without delay.

To find a distributor visit: www.GardnerDenver.com

Protect Your Equipment for **Longer Life**

At Gardner Denver, our engineering philosophy is centered on creating equipment that is high quality and reliable, giving you confidence in your investment. Our Platinum Series service offerings are tailored to provide the best possible support to your compressed air systems, allowing you to focus on your operations.



PLATINUM
Guard[™]

Platinum Guard is a preventative maintenance agreement serviced by Gardner Denver Authorized Distributors using genuine OEM parts and lubricants. **Guard your investment** with a service plan that keeps your compressor (and operations) running with few interruptions.



PLATINUM
Trust[™]

The multi-year Platinum Trust service agreement offers peace of mind with extended coverage beyond the major components—the entire compressor package is included. Protect your equipment against unforeseen events with this service offering and guarantee consistent, reliable coverage from **partners you trust.**

L07RS-L290RS ROTARY SCREW COMPRESSOR

MODEL	DRIVE MOTOR		60 HZ				NOISE LEVEL ²	WEIGHT ³		DIMENSIONS L x W x H
	HP	KW	NOMINAL PRESSURE		FAD ¹			LBS	KG	IN. (MM)
			PSIG	BAR	ACFM	M ³ /MIN	DB(A)			
L07RS	10	7.5	110	7.6	45.5	1.26	70	576	261	27 x 28 x 45 (668 x 699 x 1125)
			130	9.0	38.7	1.10				
			190	13.1	28.2	0.80				
L11RS	15	11	110	7.6	62.2	1.76	71	945	429	32 x 35 x 50 (881 x 820 x 1274)
			130	9.0	57.2	1.62				
			190	13.1	44.2	1.25				
L15RS	20	15	110	7.6	88.3	2.50	74	945	429	53 x 35 x 64 (1345 x 880 x 1612)
			130	9.0	79.7	2.26				
			190	13.1	59.2	1.68				
L18RS	25	18	110	7.6	106.4	3.01	74	945	429	68 x 37 x 66 (1722 x 920 x 1659)
			130	9.0	95.0	2.69				
			190	13.1	77.5	2.20				
L22RS	30	22	110	7.6	124.6	3.53	74	945	429	85 x 49 x 78 (2159 x 1222 x 1971)
			130	9.0	116.0	3.29				
			190	13.1	90.7	2.57				
L23RS	30	22	110	7.6	145.5	4.12	68	1501	681	92 x 54 x 81 (2337 x 1372 x 2039)
			145	10.0	123.5	3.50				
			190	13.1	102.1	2.89				
L26RS	35	26	110	7.6	168.9	4.78	70	1561	708	115 x 82 x 86 (2907 x 2071 x 2193)
			145	10.0	144.9	4.10				
			190	13.1	125.7	3.56				
L29RS	40	30	110	7.6	190.9	5.41	70	1570	712	
			145	10.0	159.0	4.50				
			190	13.1	134.9	3.82				
L30RS	40	30	110	7.6	194.3	5.51	68	2039	925	
			125	8.6	182.5	5.17				
			145	10.0	170	4.82				
L37RS	50	37	110	7.6	238.5	6.75	69	2099	952	
			125	8.6	224.6	6.36				
			190	13.1	182.5	5.17				
L45RS	60	45	110	7.6	277.0	7.85	71	2147	974	
			125	8.6	262.3	7.43				
			190	13.1	216.3	6.13				
L55RS	75	55	110	7.6	364.7	10.33	69	3732	1693	
			125	8.6	344.0	9.74				
			145	10.0	318.0	9.00				
L75RS	100	75	110	7.6	473.4	13.41	72	3895	1767	
			125	8.6	448.4	12.70				
			190	13.1	367.8	10.41				
L90RS	125	90	100	7.6	627.3	17.76	77	6102	2768	
			130	9.0	593.0	16.79				
			190	13.1	464.8	13.26				
L110RS	150	110	100	7.6	742.7	21.03	77	6107	2770	
			130	9.0	704.6	19.95				
			190	13.1	581.5	16.46				
L132RS	180	132	100	7.6	819.7	23.21	78	6142	2786	
			130	9.0	781.4	22.13				
			190	13.1	642.4	18.19				
L160RS	215	160	100	6.9	1119.2	31.69	76	9652	4378	
			125	8.6	1049.8	29.73				
			190	13.1	819.7	23.21				
L200RS	270	200	100	6.9	1365.2	38.66	78	10082	4573	
			125	8.6	1291.3	36.57				
			190	13.1	1027.3	29.09				
L250RS	340	250	100	6.9	1466.0	41.51	79	10293	4669	
			125	8.6	1369.8	38.79				
			190	13.1	1091.6	30.91				
L290RS	390	290	100	6.9	1605.6	45.47	81	10326	4684	
			125	8.6	1504.0	42.59				
			190	13.1	1201.0	34.01				

1) Data measured and stated in accordance with ISO1217, Ed. 4, Annex C & Annex E at the following conditions:

Air Intake Pressure 1 bar A, Air Intake Temperature 20° C, Humidity 0% (Dry).

2) Noise levels are for air-cooled and water-cooled models, and measured in free field conditions in accordance with ISO 2151, tolerance +/- 3dB.

3) Weights are for air-cooled models.

The leader in every market we serve
by continuously improving all business processes
with a focus on innovation and velocity

Gardner
Denver[®]

1800 Gardner Expressway
Quincy, IL 62305
www.gardnerdenver.com



©2026 Industrial Technologies and Services, LLC
Printed in U.S.A.
GS-L07RS-L290RS 16th Ed. 3/26

