

Gardner
Denver[®]

DRY BULK, CHEMICAL, HYDRAULIC & SANITARY EQUIPMENT

Mobile/Transport Products



Gardner Denver is the only supplier to the industry that meets all your dry bulk, chemical, hydraulic and sanitary equipment needs.

Our product lines represent a proven history and reputation for quality, dependability and performance. With 150 years of manufacturing experience, Gardner Denver is a recognized leader providing compressed air and gas, vacuum and fluid transfer technologies to industries throughout the world.

DRY BULK



CycloBlower Transport Series

HELICAL SCREW

- Airflow to 1,060 cfm
- Pressure to 18 psig
- 20 psig intermittent
- Vacuum to 17 inHg
- Weights as low as 275 lbs.



DuroFlow Transport Series

ROTARY LOBE

- Airflow to 1,000 cfm
- Pressure to 15 psig
- Vacuum to 15 inHg
- Weight to 545 lbs.



Drum D825/D925

DRUM LOBE

- Airflow to 1,340 cfm
- Pressure to 20 psig
- Vacuum to 17 inHg
- Weight as low as 342 lbs.



Drum HPD450/E490

DRUM VANE

- Airflow to 325 cfm
- Pressure to 30 psig
- Weight to 331 lbs.



CycloSaver

ROTARY SCREW

- Airflow to 655 cfm
- Pressure to 36 psig
- Weight to 257 lbs.

LIQUID BULK



GD360

LIQUID BULK PACKAGE

- Industry's premier bolt-&-go package
- Includes GD70 compressor, product pump & hydraulic cooler
- Auxiliary option available



Drum GD150/GD175

RADIAL VANE

- Airflow to 75 cfm
- Speed to 1800 rpm
- Pressure to 36 psig
- Weight to 125 lbs.



GD70

RECIP COMPRESSOR


- Airflow up to 40 CFM
- Pressure up to 40 psi
- Weight: 80 lbs.



STP 125

TRI-LOBE

- Stainless steel food & chemical pump
- Airflow to 232 gpm
- Pressure to 140 psig
- Weight to 145 lbs.



Drum SC200

ROTARY SCREW

- Airflow to 112 cfm
- Pressure to 36 psig
- Weight to 100 lbs.



HYDRAULIC



MH Series

HYDRAULIC DRIVE COOLING SYSTEM

- Flow rate to 60 gpm
- Pressure rated to 3500 psig
- Stainless steel construction




MHX Series

HYDRAULIC DRIVE COOLING SYSTEM

- Flow rate to 30 gpm
- Pressure rated to 5000 psig
- Stainless steel construction

MOBILE VACUUM



WITTIG TRANSPORT SERIES

RFL 60-102

RADIAL VANE

- Airflow to 377 cfm
- Pressure to 29 psig
- Vacuum to 24 inHg



RFW 150-260

RADIAL VANE

- Airflow to 906 cfm
- Pressure to 29 psig
- Vacuum to 24 inHg



Aqualine

LIQUID RING

- Airflow to 1803 cfm
- Pressure to 22 psig
- Vacuum to 27 inHg

The leader in every market we serve
by continuously improving all business processes
with a focus on innovation and velocity

**Gardner
Denver®**

www.GardnerDenver.com

©2026 Industrial Technologies and Services, LLC
Printed in U.S.A.
GDT-MP-LINE 5th Ed. 6/26

