

SILOL[®]

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.11.2025	203000025820	Country / Language: SA / 6N (EN)

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name	:	SILOL [®]
Product code	:	000000000062683648

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture	:	Lubricant
Recommended restrictions on use	:	Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet

Company	:	Ingersoll-Rand Trading GmbH Max-Planck-Ring 27 46049 Oberhausen Germany Telefon: +49(0)208 999-40 Telefax: e-Mail: info@ghhrand.com Webseite: www.ghhrandtransport.com
Responsible Department	:	+49(0)208 999-4180 info@ghhrand.com

1.4 Emergency telephone number

Emergency telephone number	:	USA 24-hour#: +1 800.424.9300 Outside USA#: +1.703.527.3887
----------------------------	---	--

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture**

Classification	
Long-term (chronic) aquatic hazard, Category 3	H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling			
Hazard statements	:	H412	Harmful to aquatic life with long lasting effects.
Precautionary statements	:	Prevention:	

SILOL®

Version 1.0 Revision Date: 25.11.2025 SDS Number: 203000025820 Date of last issue: -
Country / Language: SA / 6N (EN)

P273 Avoid release to the environment.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labelling

EUH208 Contains N-1-naphthylaniline. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients**3.2 Mixtures****Components**

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
N-1-naphthylaniline	90-30-2 201-983-0	Acute Tox. 4; H302 Skin Sens. 1B; H317 STOT RE 2; H373 (Blood, Kidney) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 Acute toxicity estimate Acute oral toxicity: 1,625 mg/kg	>= 0.25 - < 1

For explanation of abbreviations see section 16.

Disclaimer: EC numbers starting with 1, 6, 7, 8, 9, or a letter in this document are ECHA List Numbers used for internal reference and do not carry legal significance as typical EC Numbers in Safety Data Sheets.

SILOL[®]

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.11.2025	203000025820	Country / Language: SA / 6N (EN)

SECTION 4: First aid measures**4.1 Description of first aid measures**

- | | | |
|----------------------------|---|---|
| General advice | : | Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended. |
| Protection of first-aiders | : | No action shall be taken involving any personal risk or without suitable training. |
| If inhaled | : | If inhaled, remove to fresh air.
Keep patient warm and at rest.
If symptoms persist, call a physician. |
| In case of skin contact | : | Wash off with soap and plenty of water.
Get medical attention if symptoms occur. |
| In case of eye contact | : | Immediately flush eye(s) with plenty of water.
Protect unharmed eye.
If eye irritation persists, consult a specialist. |
| If swallowed | : | Keep respiratory tract clear.
Never give anything by mouth to an unconscious person.
Get medical attention if symptoms occur. |

4.2 Most important symptoms and effects, both acute and delayed

- | | | |
|----------|---|-----------------------------------|
| Symptoms | : | May produce an allergic reaction. |
|----------|---|-----------------------------------|

4.3 Indication of any immediate medical attention and special treatment needed

- | | | |
|-----------|---|------------------------|
| Treatment | : | Treat symptomatically. |
|-----------|---|------------------------|

SECTION 5: Firefighting measures**5.1 Extinguishing media**

- | | | |
|--------------------------------|---|--|
| Suitable extinguishing media | : | Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. |
| Unsuitable extinguishing media | : | High volume water jet |

5.2 Special hazards arising from the substance or mixture

- | | | |
|---------------------------------------|---|---|
| Specific hazards during fire-fighting | : | Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : | Carbon monoxide
Carbon dioxide (CO ₂) |

SILOL[®]

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.11.2025	203000025820	Country / Language: SA / 6N (EN)

5.3 Advice for firefighters

- | | | |
|---|---|---|
| Special protective equipment for firefighters | : | Wear self-contained breathing apparatus for firefighting if necessary. |
| Further information | : | Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

- | | | |
|----------------------|---|---|
| Personal precautions | : | Use personal protective equipment.
Ensure adequate ventilation.
Evacuate personnel to safe areas. |
|----------------------|---|---|

6.2 Environmental precautions

- | | | |
|---------------------------|---|--|
| Environmental precautions | : | Do not flush into surface water or sanitary sewer system.
Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities. |
|---------------------------|---|--|

6.3 Methods and material for containment and cleaning up

- | | | |
|-------------------------|---|---|
| Methods for cleaning up | : | Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal. |
|-------------------------|---|---|

6.4 Reference to other sections

For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

- | | | |
|---|---|--|
| Advice on safe handling | : | For personal protection see section 8. |
| Advice on protection against fire and explosion | : | Normal measures for preventive fire protection. |
| Hygiene measures | : | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Avoid contact with skin, eyes and clothing. When using do not eat or drink. When using do not smoke. |

SILOL[®]

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.11.2025	203000025820	Country / Language: SA / 6N (EN)

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Prevent unauthorized access. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Advice on common storage : No materials to be especially mentioned.

Further information on storage stability : Stable under recommended storage conditions.

7.3 Specific end use(s)

Specific use(s) : Lubricant

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Occupational Exposure Limits**

Contains no substances with occupational exposure limit values.

8.2 Exposure controls**Engineering measures**

If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Personal protective equipment

Eye/face protection : Safety glasses

Hand protection

Material : Nitrile rubber - NBR

Wearing time : < 60 min

Remarks : After contamination with product change the gloves immediately and dispose of them according to relevant national and local regulations. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Protective suit

Choose body protection according to the amount and con-

SILOL[®]

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.11.2025	203000025820	Country / Language: SA / 6N (EN)

centration of the dangerous substance at the work place.

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.

Filter type : Organic vapour type (A)

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Appearance : liquid

Physical state : liquid

Colour : colourless

Odour : oily

Odour Threshold : Not relevant

Melting point/ range : No data available

Boiling point/boiling range : No data available

Flammability : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : 250 °C
Method: ASTM D 92

Ignition temperature : No data available

Decomposition temperature : No data available

pH : substance/mixture is non-soluble (in water)

SILOL[®]

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.11.2025	203000025820	Country / Language: SA / 6N (EN)

Viscosity
Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Vapour pressure : No data available

Density : 0.857 g/cm³ (20 °C)

Relative vapour density : No data available

Particle characteristics

Particle size : Not applicable

Particle Size Distribution : Not applicable

9.2 Other information

Oxidizing properties : No data available

Self-ignition : No data available

Metal corrosion rate : Not corrosive to metals

Molecular weight : No data available

SECTION 10: Stability and reactivity**10.1 Reactivity**

No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions :
Under normal conditions of storage and use, hazardous reactions will not occur.

SILOL[®]

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.11.2025	203000025820	Country / Language: SA / 6N (EN)

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No specific data.

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information**11.1 Information on hazard classes****Acute toxicity**

Not classified due to lack of data.

Components:**N-1-naphthylaniline:**

Acute oral toxicity : LD50 (Rat, male): 1,625 mg/kg

Acute dermal toxicity : LD50 (Rabbit, male): > 5,000 mg/kg

Skin corrosion/irritation

Not classified due to lack of data.

Components:**N-1-naphthylaniline:**

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation
GLP	: No

Serious eye damage/eye irritation

Not classified due to lack of data.

Components:**N-1-naphthylaniline:**

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation
GLP	: No

Respiratory or skin sensitisation**Skin sensitisation**

Not classified due to lack of data.

SILOL[®]

Version 1.0 Revision Date: 25.11.2025 SDS Number: 203000025820 Date of last issue: -
Country / Language: SA / 6N (EN)

Respiratory sensitisation

Not classified due to lack of data.

Components:**N-1-naphthylaniline:**

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : The product is a skin sensitiser, sub-category 1B.
GLP : No

Germ cell mutagenicity

Not classified due to lack of data.

Components:**N-1-naphthylaniline:**

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: No information available.

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: No information available.

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: No information available.

Genotoxicity in vivo : Test Type: dominant lethal test
Species: Mouse (male)
Application Route: Intraperitoneal
Method: OECD Test Guideline 478
Result: negative
GLP: No information available.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

SILOL[®]

Version 1.0 Revision Date: 25.11.2025 SDS Number: 203000025820 Date of last issue: -
Country / Language: SA / 6N (EN)

Components:**N-1-naphthylaniline:**

Effects on foetal development : Test Type: Pre-natal
Species: Rat, female
Application Route: Oral
Dose: 15 - 50 - 150 milligram per kilogram
General Toxicity Maternal: NOAEL: 50 mg/kg bw/day
Developmental Toxicity: NOAEL: 150 mg/kg bw/day
Method: OECD Test Guideline 414
GLP: Yes

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Components:**N-1-naphthylaniline:**

Exposure routes : Oral
Target Organs : Blood, Kidney
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Repeated dose toxicity**Components:****N-1-naphthylaniline:**

Species : Rat, male and female
LOAEL : 5 mg/kg
Application Route : Oral
Exposure time : 90 d
Number of exposures : daily
Dose : 5 - 25 - 125 mg/kg bw/day
Method : OECD Test Guideline 408
GLP : Yes
Target Organs : Blood, Kidney
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.
Remarks : Subchronic toxicity

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards**Further information****Product:**

Remarks : No data available

SILOL®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.11.2025	203000025820	Country / Language: SA / 6N (EN)

SECTION 12: Ecological information

12.1 Toxicity**Components:****N-1-naphthylaniline:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.44 mg/l Exposure time: 96 h Analytical monitoring: No Remarks: nominal concentration
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.3 mg/l End point: Immobilization Exposure time: 48 h Analytical monitoring: No Remarks: nominal concentration
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.93 mg/l End point: Growth rate Exposure time: 96 h Analytical monitoring: No Remarks: nominal concentration
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to microorganisms	:	EC50 (activated sludge): > 10,000 mg/l End point: Respiration inhibition Exposure time: 3 h Method: OECD Test Guideline 209
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0.032 mg/l End point: reproduction rate Exposure time: 21 d Species: Daphnia magna (Water flea) Analytical monitoring: No Method: OECD Test Guideline 211 GLP: Yes Remarks: nominal concentration
M-Factor (Chronic aquatic toxicity)	:	1

12.2 Persistence and degradability**Components:****N-1-naphthylaniline:**

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 0 % Exposure time: 14 d
------------------	---	--

SILOL[®]

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.11.2025	203000025820	Country / Language: SA / 6N (EN)

Method: OECD Test Guideline 301C

12.3 Bioaccumulative potential**Components:****N-1-naphthylaniline:**

Bioaccumulation : Species: Cyprinus carpio (Carp)
Exposure time: 56 d
Bioconcentration factor (BCF): ≥ 427
Method: OECD Test Guideline 305C

Partition coefficient: n-octanol/water : log Pow: 4.28

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects**Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Product : The product should not be allowed to enter drains, water courses or the soil.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14: Transport information**14.1 UN number**

SILOL[®]

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.11.2025	203000025820	Country / Language: SA / 6N (EN)

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.4 Packing group

IMDG : Not regulated as a dangerous good

IATA (Cargo) : Not regulated as a dangerous good

IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Hazard and Handling Notes : Not dangerous cargo.
Keep separated from foodstuffs.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

International Chemical Weapons Convention (CWC) : Not applicable
Schedules of Toxic Chemicals and Precursors

SECTION 16: Other information**Full text of H-Statements**

H302	: Harmful if swallowed.
H317	: May cause an allergic skin reaction.
H373	: May cause damage to organs through prolonged or repeated exposure if swallowed.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

SILOL[®]

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.11.2025	203000025820	Country / Language: SA / 6N (EN)

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Skin Sens.	:	Skin sensitisation
STOT RE	:	Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information**Classification of the mixture:**

Aquatic Chronic 3 H412

Classification procedure:

Calculation method

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.

SAFETY DATA SHEET



SILOL®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.11.2025	203000025820	Country / Language: SA / 6N (EN)

Relevant changes from the previous version are marked on the left side of the Safety Data Sheet with a black double bar in appropriate places.