

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments



SILOL® FG

Version	Revision Date:	SDS Number:	Date of last issue: 23.09.2025
1.1	21.11.2025	203000025493	Country / Language: DE / 6N (EN)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	SILOL® FG
Product code	:	000000000062683649

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture	:	Lubricant
Recommended restrictions on use	:	Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet

Company	:	Ingersoll-Rand Trading GmbH Max-Planck-Ring 27 46049 Oberhausen Germany Telefon: +49(0)208 999-40 Telefax: e-Mail: info@ghhrand.com Webseite: www.ghhrandtransport.com
---------	---	--

Responsible Department	:	+49(0)208 999-4180 info@ghhrand.com
------------------------	---	--

1.4 Emergency telephone number

Emergency telephone number	:	USA 24-hour#: +1 800.424.9300 Outside USA#: +1.703.527.3887
----------------------------	---	--

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Category 3	H412: Harmful to aquatic life with long lasting effects.
--	--

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard statements	:	H412	Harmful to aquatic life with long lasting effects.
-------------------	---	------	--

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

GHH RAND®

SILOL® FG

Version 1.1 Revision Date: 21.11.2025 SDS Number: 203000025493 Date of last issue: 23.09.2025
Country / Language: DE / 6N (EN)

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labelling

EUH208 Contains N-1-naphthylaniline. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
N-1-naphthylaniline	90-30-2 201-983-0 01-2119488704-27	Acute Tox. 4; H302 Skin Sens. 1B; H317 STOT RE 2; H373 (Blood, Kidney) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 Acute toxicity esti-	>= 0,25 - < 1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

GHH RAND®

SILOL® FG

Version 1.1 Revision Date: 21.11.2025 SDS Number: 203000025493 Date of last issue: 23.09.2025
Country / Language: DE / 6N (EN)

		mate	
		Acute oral toxicity: 1.625 mg/kg	
Substances with a workplace exposure limit :			
1-Decene, homopolymer, hydrogenated (≥PAO10)	68037-01-4 500-183-1		≥ 70 - < 90

For explanation of abbreviations see section 16.

Disclaimer: EC numbers starting with 1, 6, 7, 8, 9, or a letter in this document are ECHA List Numbers used for internal reference and do not carry legal significance as typical EC Numbers in Safety Data Sheets.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.
- If inhaled : If inhaled, remove to fresh air.
Keep patient warm and at rest.
If symptoms persist, call a physician.
- In case of skin contact : Wash off with soap and plenty of water.
Get medical attention if symptoms occur.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Protect unharmed eye.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Never give anything by mouth to an unconscious person.
Get medical attention if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : May produce an allergic reaction.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

GHH RAND®

SILOL® FG

Version	Revision Date:	SDS Number:	Date of last issue: 23.09.2025
1.1	21.11.2025	203000025493	Country / Language: DE / 6N (EN)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Carbon monoxide
Carbon dioxide (CO₂)

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.
Evacuate personnel to safe areas.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.
Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

GHH RAND®

SILOL® FG

Version	Revision Date:	SDS Number:	Date of last issue: 23.09.2025
1.1	21.11.2025	203000025493	Country / Language: DE / 6N (EN)

6.4 Reference to other sections

For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- | | | |
|---|---|--|
| Advice on safe handling | : | For personal protection see section 8. |
| Advice on protection against fire and explosion | : | Normal measures for preventive fire protection. |
| Hygiene measures | : | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Avoid contact with skin, eyes and clothing. When using do not eat or drink. When using do not smoke. |

7.2 Conditions for safe storage, including any incompatibilities

- | | | |
|---|---|--|
| Requirements for storage areas and containers | : | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Prevent unauthorized access. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards. |
| Advice on common storage | : | No materials to be especially mentioned. |
| Storage class (TRGS 510) | : | 10, Combustible liquids |
| Further information on storage stability | : | Stable under recommended storage conditions. |

7.3 Specific end use(s)

- | | | |
|-----------------|---|-----------|
| Specific use(s) | : | Lubricant |
|-----------------|---|-----------|

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
------------	---------	-------------------------------	--------------------	-------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

GHH RAND®

SILOL® FG

Version 1.1 Revision Date: 21.11.2025 SDS Number: 203000025493 Date of last issue: 23.09.2025
Country / Language: DE / 6N (EN)

1-Decene, homo-polymer, hydro-genated (≥PAO10)	68037-01-4	AGW (Alveolate fraction)	5 mg/m3	DE TRGS 900
	Peak-limit: excursion factor (category): 4; II			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
		MAK (measured as the alveolate fraction)	5 mg/m3	DE DFG MAK
	Peak-limit: excursion factor (category): 4; II			
	Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed			
N-1-naphthylaniline	90-30-2	AGW (Inhalable fraction)	2 mg/m3	DE TRGS 900
	Peak-limit: excursion factor (category): 2; II			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child, Substance sensitizing through the skin			
		MAK (inhalable fraction)	2 mg/m3	DE DFG MAK
	Peak-limit: excursion factor (category): 2; II			
	Further information: Danger of sensitization of the skin, Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
N-1-naphthylaniline	Workers	Inhalation	Long-term exposure, Systemic effects	0,08 mg/m3
	Workers	Inhalation	Short-term exposure, Systemic effects	44 mg/m3
	Workers	Dermal	Long-term exposure, Systemic effects	0,02 mg/kg bw/day
	Workers	Dermal	Short-term exposure, Systemic effects	6,67 mg/kg bw/day
	Consumers	Inhalation	Long-term exposure, Systemic effects	0,015 mg/m3
	Consumers	Inhalation	Short-term exposure, Systemic effects	33 mg/m3
	Consumers	Dermal	Long-term exposure, Systemic effects	0,008 mg/kg bw/day
	Consumers	Dermal	Short-term exposure, Systemic effects	3,33 mg/kg bw/day
	Consumers	Oral	Long-term exposure, Systemic effects	0,008 mg/kg bw/day
	Consumers	Oral	Short-term exposure, Systemic effects	2 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

GHH RAND®

SILOL® FG

Version 1.1 Revision Date: 21.11.2025 SDS Number: 203000025493 Date of last issue: 23.09.2025
Country / Language: DE / 6N (EN)

Substance name	Environmental Compartment	Value
N-1-naphthylaniline	Fresh water	0,0002 mg/l
	Marine water	0,00002 mg/l
	Sewage treatment plant	100 mg/l
	Fresh water sediment	0,0344 mg/kg dry weight (d.w.)
	Marine sediment	0,00344 mg/kg dry weight (d.w.)
	Soil	0,0068 mg/kg dry weight (d.w.)
	Secondary Poisoning	7,173 mg/kg food

8.2 Exposure controls

Engineering measures

If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Personal protective equipment

Eye/face protection : Safety glasses

Hand protection

Material : Nitrile rubber - NBR
Break through time : >= 8 h
Wearing time : < 60 min

Remarks : After contamination with product change the gloves immediately and dispose of them according to relevant national and local regulations The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.

Filter type : Organic vapour type (A)

Protective measures : For further information, please consult the following hazardous substance information system: "GESTIS Substance Database" (German Social Accident Insurance).

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

GHH RAND®

SILOL® FG

Version	Revision Date:	SDS Number:	Date of last issue: 23.09.2025
1.1	21.11.2025	203000025493	Country / Language: DE / 6N (EN)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Physical state	:	liquid
Colour	:	colourless
Odour	:	oily
Odour Threshold	:	Not relevant
Pour point	:	-48 °C
Boiling point/boiling range	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	250 °C Method: ASTM D 92, open cup
Decomposition temperature	:	No data available
pH	:	substance/mixture is non-soluble (in water)
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	96,4 cSt (40 °C) Method: ASTM D 445
Vapour pressure	:	No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

GHH RAND®

SILOL® FG

Version	Revision Date:	SDS Number:	Date of last issue: 23.09.2025
1.1	21.11.2025	203000025493	Country / Language: DE / 6N (EN)

Relative density : No data available

Density : 0,8571 g/cm³ (20 °C)

Particle characteristics

Particle size : Not applicable

Particle Size Distribution : Not applicable

9.2 Other information

Oxidizing properties : No data available

Self-ignition : No data available

Metal corrosion rate : Not corrosive to metals

Molecular weight : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No specific data.

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

GHH RAND®

SILOL® FG

Version	Revision Date:	SDS Number:	Date of last issue: 23.09.2025
1.1	21.11.2025	203000025493	Country / Language: DE / 6N (EN)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

N-1-naphthylaniline:

Acute oral toxicity : LD50 (Rat, male): 1.625 mg/kg

Acute dermal toxicity : LD50 (Rabbit, male): > 5.000 mg/kg

Skin corrosion/irritation

Not classified due to lack of data.

Components:

N-1-naphthylaniline:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation
GLP	: No

Serious eye damage/eye irritation

Not classified due to lack of data.

Components:

N-1-naphthylaniline:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation
GLP	: No

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Components:

N-1-naphthylaniline:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

GHH RAND

SILOL® FG

Version	Revision Date:	SDS Number:	Date of last issue: 23.09.2025
1.1	21.11.2025	203000025493	Country / Language: DE / 6N (EN)

Result : The product is a skin sensitiser, sub-category 1B.
GLP : No

Germ cell mutagenicity

Not classified due to lack of data.

Components:

N-1-naphthylaniline:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: No information available.

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: No information available.

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: No information available.

Genotoxicity in vivo : Test Type: dominant lethal test
Species: Mouse (male)
Application Route: Intraperitoneal
Method: OECD Test Guideline 478
Result: negative
GLP: No information available.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

Components:

N-1-naphthylaniline:

Effects on foetal development : Test Type: Pre-natal
Species: Rat, female
Application Route: Oral
Dose: 15 - 50 - 150 milligram per kilogram
General Toxicity Maternal: NOAEL: 50 mg/kg bw/day

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

GHH RAND®

SILOL® FG

Version	Revision Date:	SDS Number:	Date of last issue: 23.09.2025
1.1	21.11.2025	203000025493	Country / Language: DE / 6N (EN)

Developmental Toxicity: NOAEL: 150 mg/kg bw/day
Method: OECD Test Guideline 414
GLP: Yes

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Components:

N-1-naphthylaniline:

Exposure routes	: Oral
Target Organs	: Blood, Kidney
Assessment	: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Repeated dose toxicity

Components:

N-1-naphthylaniline:

Species	: Rat, male and female
LOAEL	: 5 mg/kg
Application Route	: Oral
Exposure time	: 90 d
Number of exposures	: daily
Dose	: 5 - 25 - 125 mg/kg bw/day
Method	: OECD Test Guideline 408
GLP	: Yes
Target Organs	: Blood, Kidney
Assessment	: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.
Remarks	: Subchronic toxicity

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified due to lack of data.

Product:

Assessment	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

GHH RAND

SILOL® FG

Version	Revision Date:	SDS Number:	Date of last issue: 23.09.2025
1.1	21.11.2025	203000025493	Country / Language: DE / 6N (EN)

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

N-1-naphthylaniline:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,44 mg/l
Exposure time: 96 h
Analytical monitoring: No
Remarks: nominal concentration

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,3 mg/l
End point: Immobilization
Exposure time: 48 h
Analytical monitoring: No
Remarks: nominal concentration

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,93 mg/l
End point: Growth rate
Exposure time: 96 h
Analytical monitoring: No
Remarks: nominal concentration

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): > 10.000 mg/l
End point: Respiration inhibition
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,032 mg/l
End point: reproduction rate
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Analytical monitoring: No
Method: OECD Test Guideline 211
GLP: Yes
Remarks: nominal concentration

M-Factor (Chronic aquatic toxicity) : 1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

GHH RAND

SILOL® FG

Version	Revision Date:	SDS Number:	Date of last issue: 23.09.2025
1.1	21.11.2025	203000025493	Country / Language: DE / 6N (EN)

1-Decene, homopolymer, hydrogenated (≥PAO10):

Toxicity to fish : LC50 (Fish): > 1.000 mg/l
Exposure time: 96 h

12.2 Persistence and degradability

Components:

N-1-naphthylaniline:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 14 d
Method: OECD Test Guideline 301C

1-Decene, homopolymer, hydrogenated (≥PAO10):

Biodegradability : Result: Not readily biodegradable.

12.3 Bioaccumulative potential

Components:

N-1-naphthylaniline:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Exposure time: 56 d
Bioconcentration factor (BCF): ≥ 427
Method: OECD Test Guideline 305C

Partition coefficient: n-octanol/water : log Pow: 4,28

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments



SILOL® FG

Version	Revision Date:	SDS Number:	Date of last issue: 23.09.2025
1.1	21.11.2025	203000025493	Country / Language: DE / 6N (EN)

12.7 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The product should not be allowed to enter drains, water courses or the soil.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
IATA	: Not regulated as a dangerous good

14.2 UN proper shipping name

ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
IATA	: Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
IATA	: Not regulated as a dangerous good

14.4 Packing group

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments



SILOL® FG

Version	Revision Date:	SDS Number:	Date of last issue: 23.09.2025
1.1	21.11.2025	203000025493	Country / Language: DE / 6N (EN)

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Hazard and Handling Notes : Not dangerous cargo.
Keep separated from foodstuffs.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 3
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
Regulation (EU) No 2024/590 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
Council Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors.	:	Neither banned nor restricted
Council Regulation (EC) No 273/2004 on drug precursors	:	Not applicable
Regulation (EU) No 649/2012 of the European Parlia-	:	Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

GHH RAND®

SILOL® FG

Version	Revision Date:	SDS Number:	Date of last issue: 23.09.2025
1.1	21.11.2025	203000025493	Country / Language: DE / 6N (EN)

ment and the Council concerning the export and import of dangerous chemicals

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
Not applicable

Water hazard class (Germany) : WGK 3 highly hazardous to water
Classification according to AwSV, Annex 1 (5)

Other regulations:

Leaflets of the German "Berufsgenossenschaft Rohstoffe und chemische Industrie (BG RCI)":
M 050 "Tätigkeiten mit Gefahrstoffen"
M 053 "Arbeitsschutzmaßnahmen für den Umgang mit Gefahrstoffen"

15.2 Chemical safety assessment

Not applicable

SECTION 16: Other information

Full text of H-Statements

H302	: Harmful if swallowed.
H317	: May cause an allergic skin reaction.
H373	: May cause damage to organs through prolonged or repeated exposure if swallowed.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure
DE DFG MAK	: Germany. MAK BAT Annex IIa
DE TRGS 900	: Germany. TRGS 900 - Occupational exposure limit values.
DE DFG MAK / MAK	: MAK value
DE TRGS 900 / AGW	: Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regula-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

GHH RAND

SILOL® FG

Version	Revision Date:	SDS Number:	Date of last issue: 23.09.2025
1.1	21.11.2025	203000025493	Country / Language: DE / 6N (EN)

tion (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Aquatic Chronic 3 H412

Classification procedure:

Calculation method

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.

Relevant changes from the previous version are marked on the left side of the Safety Data Sheet with a black double bar in appropriate places.